

SAFETY DATA SHEET ANE-CLEAR-3-A-TINT



SECTION 1.	IDENTIFICATION					
	Product identifier At	NE-CLEAR-3-A-TI	NT			
		. A				
		nti-Crystallization E	Epoxy Coating	g		
		nknown				
		NE COATINGS, IN				
		0 N. GOULD ST., S		RIDAN, WY 82801		
	Emergency Phone No. 24	ww.anecoatings.co 4-Hour Emergenc Jnited States): 91	y Telephone	Number		
ECTION 2.	HAZARD IDENTIFICATION					
Lonion 2.	Classification					
()	Skin Sensitization Category 1B Skin Corrosion/irritation Category 2 Serious eye damage/irritation Category 2A Acute Toxicity, Oral Category 5 Hazardous to the aquatic environment - acute Category 2 Hazardous to the aquatic environment - chronic Category 2 Label Elements Signal Word Warning H303: May be harmful if swallowed H315: Causes skin irritation					
	H317: May cause an allergic skin reaction H319: Causes serious eye irritation H401: Toxic to aquatic life H411: Toxic to aquatic life with long lasting effects					
	Precautionary statements					
	Prevention:					
	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash with plenty of water and soap thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace P280 Wear protective gloves/eye protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. P33: + P313 If eye irritation persists: Get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P312 If SWALLOWED: Call a POISON Center/doctor/if you feel unwell. P362 + P364 Take off contaminated clothing and wash before reuse. P273 Avoid release to the environment. P391 Collect spillage. P50: Dispose of contents/ container into safe container in accordance with local, regional or national regulations.					
	Other Hazards:					
	Unknown					
ECTION 3.	COMPOSITION					
	Chomical Name					
	Chemical Name	CA	S No.	% concentration		
	Reaction product: bisphenol-A-	2508	35-99-8	50-80		
	(epichlorohydrin) epoxy resin					
	Alkyl (C12-C14) glycidyl ether	6860)9-97-2	1-10		
	1,3-bis(2,3-epoxypropoxy)-2,2-dimeth	nylpropane 175	57-23-2	5-10		
	Bisphenol-F/epichlorohydrin epoxy res		64-14-4	5-10		
	Benzyl Alcohol	100	51_6	1_10		

100-51-6

1-10

Benzyl Alcohol




SAFETY DATA SHEET

	SECTION 4.	HAZARD IDENTIFICATION		
A HIT		First-aid Measures		
		Ingestion: IF SWALLOWED: Call a POISON Center/doctor/if you feel unwell.		
		Skin Contact: Flush with soap and water for a minimum of 15 minutes. Consult a physician if irritation persists or you feel unwell.		
A.		Eye Contact: Rinse immediately with plenty of water for at least 15 minutes. Consult a physician. Most Important Symptoms and Effects, Acute and Delayed If inhaled: May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Stand .		If on skin: Harmful if in contact with the skin. Causes skin irritation. Exposure may produce an allergic reaction		
The second secon		If in eyes: Causes serious eye damage.		
1207		If ingested: Ingestion is likely to be harmful or have adverse effects		
		Immediate Medical Attention and Special Treatment: Special Instructions: If a physician or medical attention is required, have product container or label at hand.		
		FIRE-FIGHTING MEASURES		
	SECTION 5.	FIRE-FIGHTING MEASURES		
	SECTION 5.	FIRE-FIGHTING MEASURES Extinguishing Media		
	SECTION 5.			
U S U	SECTION 5.	<u>Extinguishing Media</u> Suitable Extinguishing Media		
U S U	SECTION 5.	Extinguishing Media Suitable Extinguishing Media In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO2) Unsuitable Extinguishing Media		
U S U	SECTION 5.	Extinguishing Media Suitable Extinguishing Media In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO2) Unsuitable Extinguishing Media water jet Specific Hazards Arising from the Product During fire, smoke may contain the original material in addition to combustion products of varying		
O A TINGS	SECTION 5. SECTION 6.	Extinguishing Media Suitable Extinguishing Media In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO2) Unsuitable Extinguishing Media water jet Specific Hazards Arising from the Product During fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Special Protective Equipment and Precautions for Fire-fighters Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire- fighting clothing Avoid contact with this material during fire-fighting operations. If contact is likely, change to full chemica		
A N E O A TINGS		 Extinguishing Media Suitable Extinguishing Media In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO2) Unsuitable Extinguishing Media water jet Specific Hazards Arising from the Product During fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Special Protective Equipment and Precautions for Fire-fighters Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire- fighting clothing Avoid contact with this material during fire-fighting operations. If contact is likely, change to full chemical resistant fire-fighting clothing with self-contained breathing apparatus. 		




SAFETY DATA SHEET ANE-CLEAR-3-A-TINT





SAFETY DATA SHEET





SAFETY DATA SHEET ANE-CLEAR-3-A-TINT



SECTION 15.	REGULATORY INFORMATION	REGULATORY INFORMATION Not required under Canadian Regulations.				
	Not required under Canadian R					
SECTION 16.	OTHER INFORMATION					
	Date of Preparation	August 2022				
	Date of Last Revision	August 31, 2023				
	Revision Indicators	The entire MDSD was changed in August 2020 to be in accordance with the WHMIS 2015 which incorporates the Globally Harmonized System of Classification and Labeling of Chemicals for Canadian Workplaces.				
	References	1. CHOHS Fact Sheets September 2016 CCCOHS 2016 2. Supplier's Material Safety Data Sheet(s)				
	ACGIH	American Conference of Governmental Industrial Hygienists				
	ATE CAS	Acute toxicity estimate				
	DSL	Chemical Abstract Service Domestic Substance List				
	IARC	International Agency for Research on Cancer				
	IATA	International Air Transport Association				
	IMDG	International Maritime Dangerous Goods Code				
	LC	Lethal concentration				
	LD	Lethal Dosage				
	NIOSH	National Institute for Occupational Safety and Health				
	NTP	National Toxicology Program (U.S.A.)				
	OSHA	Occupational Safety and Health Administration (U.S.A.)				
	PEL	Permissible Exposure Limit				
	STEL	Short-term Exposure Limit				
	TDG	Transport of dangerous goods in Canada				
	TLV	Threshold Limit Value				
	TSCA	Toxic Substances Control Act				
	TWA WHMIS	Time Weighted Average Workplace Hazardous Materials Information System				

NOTICE: The facts stated and the recommendations made with respect to the use of this product are based on liable information. No guarantee of accuracy is made. Before using, determine the suitability of the product's intended use. The purchaser assumes all risks and liability for losses, damage, or expenses, directly or indirectly, arising from the handling or use of the product or from any other cause. All recommendations are made on condition that SCI Coatings Inc will not be liable for any damages resulting from its use since SCI Coatings Inc cannot control the conditions under which the product will be transported, stored, handled or used by the purchaser.

ANE COATINGS, INC. • 30 N. GOULD ST., STE N, SHERIDAN, WY. 82801 • anecoatings.com